

CASE FILE 30 / 237UAP00533

237UAP00533

Multiple-witness public UAP report; score 64

NORMAL-OBJECT FAVORED

REPORT NO.	UAP-OM-30-237UAP00533	DISPOSITION	NORMAL-OBJECT FAVORED
PRIMARY CASE	237UAP00533	GENERATED	2026-05-20 18:32 UTC
REPORT TIME	2023-08-04T07:04:00+00:00	OBSERVER	32.56472, -82.98497
SOURCE CASE IDS	237UAP00533		

Abstract

This case file evaluates a reported UAP sighting against the available orbital-object layer. No compact same-launch group fully identifies the file by itself. The final disposition is assigned under a normal-object favored standard, where ordinary aerospace/orbital explanations are preferred when they reasonably fit the report.

This is a standalone independent analysis prepared from public-source records and public orbital datasets. It is not an official government determination, classification marking, or agency-authored report.

1. Executive Summary

237UAP00533 is assessed as normal-object favored because the available public evidence gives a case-specific ordinary-object candidate: strong ADS-B aircraft candidate N631QS C68A a842e2 at 11.8 km, azimuth 6.7 deg, elevation 36.15 deg, 7.81 min from report. Dense satellite presence alone is not treated as causation in this packet.

1.1 Key Findings

- Source score 64 based on: multiple aircraft/facility witnesses, negative official correlation, high-altitude report, UAP/UFO language.
- Report time used: 2023-08-04T07:04:00+00:00.
- External object layer used: public LEO catalog objects.
- Disposition standard: NORMAL-OBJECT requires case-specific causal fit. Satellite density above the horizon is context only and cannot by itself resolve the report.
- Case-specific ordinary-object evidence: strong ADS-B aircraft candidate N631QS C68A a842e2 at 11.8 km, azimuth 6.7 deg, elevation 36.15 deg, 7.81 min from report.
- Non-causal context / rejection screens: very dense orbital-object sky background; context only, not causation.
- Remaining hard features: multiple witnesses/facilities.
- Objects above horizon: 915; at/above 10 deg: 431.
- No compact same-launch/designator group survived the report threshold.
- No explicit Starlink/balloon wording was found in the source excerpt used for ranking.

1.2 Bottom Line

NORMAL-OBJECT FAVORED: A case-specific ordinary-object candidate exists from source language, orbital geometry, launch-object context, or compact trajectory grouping. Dense ordinary sky traffic alone is not treated as causation.

2. Source Control

The source-control table identifies the public report records reviewed for this case and lists public access links where available. The table is included so this PDF remains interpretable when distributed by itself.

CASE ID	REPORT DATE FIELD	FACILITY / TITLE	TEXT EXTRACT	PUBLIC PDF LINK
237UAP00533	8/4/2023 3:04:00 AM (-04 EDT)	AAY1432 UFO-UAP ACTIVITY 08-04-2023	text extract present	237UAP00533.pdf

3. Original Report Evidence

PRIMARY EXCERPT USED FOR MATCHING	Washington Operations Center Date: 8/4/2023 3:04:00 AM (-04 EDT) Title: AAY1432 UFO-UAP ACTIVITY 08-04-2023 Latitude: 32.56472222 Latitude: -82.984972220000003 DESCRIPTION PRELIM INFO FROM FAA OPS: DUBLIN, GA/UFO-UAP ACTIVITY/0304E/ ATLANTA ARTCC ADVISED ALLEGIANT 1432, A320, FLL - TYS, AND MULTIPLE ACFT REPORTED AN UNIDENTIFIED AERIAL PHENOMENON WITH BRIGHT WHITE FLASHING LIGHTS WHILE N BOUND AT FL400 VCNTY DBN. NO LEO NOTIFICATION REPORTED. WOC 7-3333 TB/JW
REPORT TIME USED	2023-08-04T07:04:00+00:00
OBSERVER COORDINATE USED	32.56472, -82.98497
OBSERVER SOURCE BASIS	(public text extract 237UAP00533)

4. Methodology

- Spacetime extraction.** The report time and observer coordinate were extracted from the public text report and normalized to UTC. Aviation fixes/radials were resolved during earlier preprocessing where applicable.
- External object dataset.** The object layer used historical Space-Track/TLE-derived public LEO catalog objects element rows. The analytic mode for this case is historical public LEO catalog objects element propagation and same-launch/designator sky grouping.
- Propagation.** Orbital elements were propagated to the report minute and observer location. For launch-object checks, samples around the report minute were retained. For Starlink group checks, objects above the horizon were clustered by sky position and filtered for same-launch groupings.
- Comparison.** The output was compared against the report's count of lights, direction cue, motion language, altitude/radar language, and whether the file itself already suggested a satellite explanation.
- Causation standard.** Mere object presence above the horizon is treated as background context only. A normal-object disposition requires a case-specific causal fit, such as a named launch object, a compact same-launch trajectory group, or source language that directly supports that object class.
- Disposition assignment.** *Identified* means a specific normal object fits the report spacetime and the hard reported features do not materially conflict. *Normal-object favored* means a case-specific ordinary aerospace/orbital candidate exists, but it is not a full named identification. *Insufficient* means the file is too thin to carry high anomaly value. *High-value unresolved* is used when radar, video, rapid maneuver, or multi-witness features remain after reasonable normal-object checks.

5. External Object Evidence

5.1 Search Volume and Density

This table is a screening layer only. Objects above the horizon show background opportunity; they do not establish causation unless a specific object or compact trajectory group matches the reported behavior.

PUBLIC LEO CATALOG OBJECTS CATALOG IDS CONSIDERED	19169	HISTORICAL ELEMENT ROWS	19169
ABOVE HORIZON AT REPORT MINUTE	915	AT/ABOVE 10 DEG	431
LARGEST SAME-SKY CLUSTER	430		

No compact same-launch/designator group survived the report threshold. In this condition, satellite density remains context only and cannot by itself resolve a report with hard features.

5.2 Same-Launch / Same-Designator Candidate Groups

#	LAUNCH DATE	COUNT	AZIMUTH SPAN	ELEVATION SPAN	MOTION LABELS	MEMBERS
No same-launch group identified.						

5.3 Primary Group Members

OBJECT	NORAD	LAUNCH	AZ	EL	RANGE KM	APPARENT MOTION	ELEMENT AGE H
No members available.							

5.4 Bright-Sky Context: Top public LEO catalog objects Objects by Elevation

OBJECT	AZ	EL	RANGE KM	APPARENT MOTION	LAUNCH DATE
NORAD 28898	160.55	85.15	681.28	westward, setting	05043G
NORAD 18803	74.98	79.97	1497.5	eastward, setting	87020AP
NORAD 12998	283.0	78.78	1691.69	eastward, setting	81120B
NORAD 5149	244.72	78.16	827.11	westward, setting	70025JS
NORAD 19664	335.68	71.59	1303.87	eastward, setting	65027AX
NORAD 25637	152.56	71.03	690.64	westward, setting	99008D
NORAD 53706	188.56	68.91	576.48	westward, setting	22107G
NORAD 54131	305.82	67.94	1268.04	westward, setting	22138U
NORAD 45835	305.77	67.9	1435.73	eastward, setting	11037BV
NORAD 25344	88.41	67.14	784.47	westward, setting	98032C
NORAD 54135	225.44	65.58	1285.45	westward, setting	22138Y
NORAD 38379	91.61	65.38	1373.45	westward, setting	65027CG

5.5 Largest Sky Clusters

#	COUNT	AZIMUTH SPAN	ELEVATION SPAN	MOTION LABELS
1	430	0.36-359.88 deg	10.02-85.15 deg	eastward, level, eastward, rising, eastward, setting, nearly fixed azimuth, setting, westward, level, westward, rising, westward, setting
2	1	133.77-133.77 deg	52.77-52.77 deg	eastward, setting

5.6 Space-Track SATCAT Enrichment

Space-Track SATCAT metadata was pulled as a cached subset for NORAD catalog IDs appearing in this packet's evidence tables. This section adds owner/type/status context to the propagated object candidates.

PACKET SATCAT SUBSET ROWS	5370	FETCHED	2026-05-19T01:19:50+00:00
THIS CASE NORAD IDS CHECKED	30	SATCAT ROWS MATCHED	30
TOP OWNERS	US: 16, CIS: 9, UK: 2, GER: 1, GLOB: 1, PRC: 1		
OBJECT TYPES	DEBRIS: 18, PAYLOAD: 11, ROCKET BODY: 1		

5.7 Space-Track Metadata for Top Propagated Objects

NORAD	OBJECT NAME	TYPE	OWNER	LAUNCH DATE	DECAY DATE
28898	MOZ.5/SAFIR/RUBIN 5/SL-8	PAYLOAD	GER	2005-10-27	n/a
18803	COSMOS 1823 DEB	DEBRIS	CIS	1987-02-20	n/a
12998	RADIO 8	PAYLOAD	CIS	1981-12-17	n/a
5149	THORAD AGENA D DEB	DEBRIS	US	1970-04-08	n/a
19664	OPS 4682 DEB	DEBRIS	US	1965-04-03	n/a
25637	DELTA 2 R/B	ROCKET BODY	US	1999-02-23	n/a
53706	STARLINK-4716	PAYLOAD	US	2022-09-05	n/a
54131	ONEWEB-0513	PAYLOAD	UK	2022-10-22	n/a
45835	FREGAT DEB	DEBRIS	CIS	2011-07-18	n/a
25344	IRIDIUM 73	PAYLOAD	US	1998-05-17	n/a
54135	ONEWEB-0517	PAYLOAD	UK	2022-10-22	n/a
38379	OPS 4682 DEB	DEBRIS	US	1965-04-03	n/a

5.9 NASA / NOAA / ADS-B Expansion Layer

NASA POWER/Horizons/DONKI batch context had not yet been written for this case at packet build time.

5.11 Free Source Availability and Remaining Work

LAYER	STATUS	CASE-SPECIFIC NOTE
ADSB.LOL HISTORICAL RELEASE LISTING	screened/present	planes-readsb-staging-0 1657.5 MiB; planes-readsb-prod-1 1657.5 MiB; planes-readsb-prod-0 1657.5 MiB
ADSB TRACKS DOWNLOADED	not yet exhausted	Requires targeted extraction from large daily history archives before claiming aircraft exhaustion.
NOAA GOES IMAGERY	not yet exhausted	Needed for cloud/lightning visual context.
NOAA GOES ABI/GLM MANIFEST	screened/present	Public S3 object availability for the report hour.
NOAA NEXRAD WEATHER RADAR	not yet exhausted	Weather radar only; not ATC radar.
NOAA IGRA RADIOSONDE	screened/present	Needed for balloon drift plausibility.
ASOS/METAR WEATHER OBSERVATIONS	screened/present	Nearest station surface observations around report time.

- ADSB.lol historical: extract aircraft traces from adsblol/globe_history_2023 for 2023-08-04, then filter +/-60 min and 250 nmi around 32.5647,-82.9850.
- NASA POWER/Horizons/DONKI: batch context for 237UAP00533 at 2023-08-04T07:04:00+00:00.
- NOAA GOES: pull nearest ABI/GLM products for the UTC hour and render cloud/lightning map.
- NOAA NEXRAD: select nearest radar stations and render Level-II/III weather radar sweep around event time.
- NOAA IGRA: find nearest radiosonde station launches bracketing the event and model wind drift for balloon-like descriptions.

- Space-Track gp_history/decay: fetch exact historical element rows and decay/reentry status for top candidate NORAD IDs.

5.12 Weather, Imagery, and Balloon Query Plan

This plan identifies the concrete free sources needed for the next case-specific weather and balloon checks. These are not treated as completed exclusions until the data are downloaded and plotted.

GOES SATELLITE	GOES16
GOES ABI PREFIX	https://noaa-goes16.s3.amazonaws.com/ABI-L2-CMIPF/2023/216/07/
GOES GLM LIGHTNING PREFIX	https://noaa-goes16.s3.amazonaws.com/GLM-L2-LCFA/2023/216/07/

5.13 Nearest Weather-Airport Candidates

STATION	NAME	DISTANCE KM	COORDINATE
KWRB	Robins Air Force Base	57.50	32.64, -83.59
KMCN	Middle Georgia Regional Airport	63.80	32.69, -83.65
KAGS	Augusta Regional At Bush Field	130.70	33.37, -81.96
KDNL	Daniel Field	133.50	33.47, -82.04
KAHN	Athens Ben Epps Airport	157.10	33.95, -83.33

- KWRB: [IEM ASOS/METAR daily CSV query](#)
- KMCN: [IEM ASOS/METAR daily CSV query](#)
- KAGS: [IEM ASOS/METAR daily CSV query](#)

5.14 Nearest Radiosonde Stations

STATION	NAME	DISTANCE KM	COORDINATE
USM00072215	PEACHTREE CITY; GA.	171.80	33.36, -84.57
USM00072206	JACKSONVILLE/INTNL.; FL.	261.40	30.48, -81.70
USM00072214	TALLAHASSEE/MUN.; FL.	266.50	30.45, -84.30
USM00072208	CHARLESTON/MUN.; SC.	279.10	32.90, -80.03
USM00072230	BIRMINGHAM; AL	361.10	33.18, -86.78

5.15 ASOS/METAR Surface Weather Observations

surface visibility ranged 9-10 statute miles; no precipitation was reported in the retained observations; low/broken/overcast cloud layers were present in at least one observation. Surface ASOS/METAR observations describe airport-level weather and visibility; they do not by themselves prove conditions at the sighting altitude or line of sight.

STATION	DISTANCE KM	NEAREST OBS UTC	VIS SM	SKY	WIND DEG/KT	METAR
KWRB	57.50	2023-08-04T06:55:00 +00:00	10.00	FEW04900, SCT07500, BKN12000, M	150.00 / 5.00	KWRB 040655Z AUTO 15005KT 10SM FEW049 SCT075 BKN120 22/22 A2997 RMK AO2 SLP148 T02220222
KMCN	63.80	2023-08-04T06:53:00 +00:00	10.00	SCT00300, OVC08000, M, M	140.00 / 3.00	KMCN 040653Z AUTO 14003KT 10SM SCT003 OVC080 23/22 A2999 RMK AO2 SLP150 T02280222
KAGS	130.70	2023-08-04T06:53:00 +00:00	10.00	BKN06000, OVC08500, M, M	0.00 / 0.00	KAGS 040653Z AUTO 00000KT 10SM BKN060

STATION	DISTANCE KM	NEAREST OBS UTC	VIS SM	SKY	WIND DEG/KT	METAR
						OVC085 22/21 A2995 RMK AO2 SLP140 T0220211

5.16 NOAA IGRA Radiosonde Wind Profile

Nearest sounding implies mean 0-12 km wind drift toward 215.8 deg at 24.11 m/s; a passive balloon could drift about 173.6 km in two hours under this crude layer-average model. Radiosonde winds are sparse station soundings; balloon drift remains approximate without launch time, ascent rate, object altitude, and exact line-of-sight bearing.

STATION	NAME	DISTANCE KM	SOUNDING UTC	MEAN DRIFT BEARING	MEAN SPEED M/S	2H DRIFT KM	MAX WIND
USM00072215	PEACHTREE CITY; GA.	171.80	2023-08-04T12:00:00+00:00	215.80	24.11	173.60	36.00 at 16338.00 m

5.17 NOAA GOES ABI/GLM Public File Manifest

GOES public S3 objects are listed for the report hour where available. This is an availability manifest, not yet a rendered satellite image.

SATELLITE	GOES16	BUCKET	noaa-goes16
ABI SAMPLE FILES	12	GLM SAMPLE FILES	12

ABI sample objects:

- [ABI-L2-CMIPF/2023/216/07/OR_ABI-L2-CMIPF-M6C01_G16_s20232160700210_e20232160709518_c20232160709566.nc](#)
- [ABI-L2-CMIPF/2023/216/07/OR_ABI-L2-CMIPF-M6C01_G16_s20232160710210_e20232160719518_c20232160719585.nc](#)
- [ABI-L2-CMIPF/2023/216/07/OR_ABI-L2-CMIPF-M6C01_G16_s20232160720210_e20232160729518_c20232160729582.nc](#)
- [ABI-L2-CMIPF/2023/216/07/OR_ABI-L2-CMIPF-M6C01_G16_s20232160730210_e20232160739518_c20232160739577.nc](#)

GLM lightning sample objects:

- [GLM-L2-LCFA/2023/216/07/OR_GLM-L2-LCFA_G16_s20232160700000_e20232160700200_c20232160700213.nc](#)
- [GLM-L2-LCFA/2023/216/07/OR_GLM-L2-LCFA_G16_s20232160700200_e20232160700400_c20232160700416.nc](#)
- [GLM-L2-LCFA/2023/216/07/OR_GLM-L2-LCFA_G16_s20232160700400_e20232160701000_c20232160701017.nc](#)
- [GLM-L2-LCFA/2023/216/07/OR_GLM-L2-LCFA_G16_s20232160701000_e20232160701200_c20232160701216.nc](#)

5.18 ADSB.lol Historical Aircraft Track Extraction

This layer uses the downloaded ADSB.lol daily history archive to test actual aircraft tracks near the report coordinate and minute. It is not treated as a primary-radar substitute; it is a transponder/receiver-derived aircraft screen.

ARCHIVE WINDOW	2023-08-04T06:04:00+00:00 to 2023-08-04T08:04:00+00:00	RADIUS	250.00 nmi
TRACE FILES SCANNED	52081	TRACKS RETAINED	109
SUPPORT STATUS	aircraft strong candidate present	BEST-CANDIDATE NOTE	ordinary-object favored if the report's count, color, direction, and motion can be reconciled with the candidate track(s).
STRONG CANDIDATES	2	PLAUSIBLE CANDIDATES	7
REPORTING-AIRCRAFT TRACKS EXCLUDED	1	WEAK CANDIDATES	19

5.19 Top ADS-B Candidate Tracks

AIRCRAFT	STATUS	SCORE	MIN DIST KM	NEAREST DT MIN	ALT FT	AZ	EL
N631QS C68A a842e2	strong aircraft candidate	75.38	9.00	0.04	17075	6.70	36.15

7. Analytic Comparison

CRITERION	REPORT EVIDENCE	ANALYTIC TREATMENT
TIME CONSTRAINT	2023-08-04T07:04:00+00:00	Directly used in propagation; this is a hard filter, not descriptive context.
LOCATION CONSTRAINT	32.56472, -82.98497	Directly used as observer point for azimuth/elevation/range computation.
COUNT / PATTERN	three-object/light language present	No compact same-launch count match; retained for unresolved report features.
MOTION LANGUAGE	not explicit	Apparent motion labels in the object table provide a plausible but not definitive comparison.
RADAR / OFFICIAL CHECK	not specified	No ATC radar return can be consistent with distant orbital objects or visual aircraft-light hypotheses, but it does not prove the match.
ANALYTIC DISPOSITION	normal-object	237UAP00533 is assessed as normal-object favored because the available public evidence gives a case-specific ordinary-object candidate: strong ADS-B aircraft candidate N631QS C68A a842e2 at 11.8 km, azimuth 6.7 deg, elevation 36.15 deg, 7.81 min from report. Dense satellite presence alone is not treated as causation in this packet.

8. Caveats, Limitations, and Collection Gaps

- No raw cockpit video, ATC replay, radar plot, or witness interview transcript was reviewed unless explicitly stated in the public source text.
- Aviation-derived coordinates can represent a nearby fix/radial or report point, not necessarily the actual line-of-sight intercept point.
- Starlink visibility depends on illumination, observer altitude, atmospheric conditions, and apparent brightness; this analysis tests geometry, not photometry. No brightness model is used unless explicitly stated elsewhere in the case file.
- TLE propagation is appropriate for screening and reconstruction but is not a substitute for authoritative operational ephemerides.
- When many satellites are above the horizon, generic presence is weak evidence and is not treated as causation. The report emphasizes named launch-object checks or compact same-launch trajectory groups.
- Normal-object favored is not the same as a perfect named-object identification; it requires a case-specific ordinary-object candidate stronger than simple object density.

Appendix A. Public Report Text Extracts

237UAP00533

Washington Operations Center

Date: 8/4/2023 3:04:00 AM (-04 EDT)

Title: AAY1432 UFO-UAP ACTIVITY 08-04-2023

Latitude: 32.56472222

Latitude: -82.984972220000003

DESCRIPTION

PRELIM INFO FROM FAA OPS DUBLIN, GA/UFO-UAP ACTIVITY/0304E/ATLANTA ARTCC ADVISED ALLEGIAN 1432, A320, FLL - TYS, AND MULTIPLE ACFT REPORTED AN UNIDENTIFIED AERIAL PHENOMENON WITH BRIGHT WHITE FLASHING LIGHTS WHILE N BOUND AT FL400 VCNTY DBN. NO LEO NOTIFICATION REPORTED. WOC 7-3333 TB/JW

Appendix B. Computational Evidence Digest

This appendix preserves the principal computed values used in the assessment, shortened to the fields most relevant to audit and review.

```
{
  "report_time_utc": "2023-08-04T07:04:00+00:00",
  "source_excerpt": "Washington Operations Center\n\n\n\nDate: 8/4/2023 3:04:00 AM (-04 EDT)\nTitle: AAY1432 UFO-UAP ACTIVITY
08-04-2023\nLatitude: 32.56472222
                                Latitude:
-82.984972220000003\n\n\n\nDESCRIPTION\n\nPRELIM INFO FROM FAA OPS: DUBLIN, GA/UFO-UAP ACTIVITY/0304E/ATLANTA ARTCC ADVISED
ALLEGIAN 1432,\na320, FLL - TYS, AND MULTIPLE ACFT REPORTED AN UNIDENTIFIED AERIAL PHENOMENON WITH BRIGHT WHITE\nFLASHING
LIGHTS WHILE N BOUND AT FL400 VCNTY DBN. NO LEO NOTIFICATION REPORTED. WOC 7-3333 TB/JW",
  "historical_starlink_element_rows": 19169,
  "observer": {
    "lat": 32.56472222,
    "lon": -82.98497222,
    "source": "(public text extract 237UAP00533)"
  },
  "case_id": "237UAP00533",
  "starlink_above_horizon_at_report_time": 915,
  "starlink_catalog_ids_considered": 19169,
  "largest_same-sky_cluster_count": 430,
  "starlink_at_or_above_10_deg": 431,
  "top_starlinks": [
    {
      "azimuth_deg": 160.55,
      "azimuth_plus_2m_deg": 347.7,
      "azimuth_plus_5m_deg": 347.93,
      "element_age_hours": 1.5,
      "element_epoch": "2023-08-04T08:33:46.564416+00:00",
      "elevation_deg": 85.15,
      "elevation_plus_2m_deg": 36.36,
      "elevation_plus_5m_deg": 8.71,
      "epoch_altitude_km": 681.75,
      "ground_track_bearing_deg": 347.4,
      "ground_track_label": "NNW",
      "launch_date": "05043G",
      "launch_designator": "05043G",
      "name": "NORAD 28898",
      "norad_id": "28898",
      "range_km": 681.28,
      "sky_motion_label": "westward, setting",
      "subpoint_lat": 32.1225,
      "subpoint_lon": -82.8015
    },
    {
      "azimuth_deg": 74.98,
      "azimuth_plus_2m_deg": 145.97,
      "azimuth_plus_5m_deg": 156.4,
      "element_age_hours": 7.61,
      "element_epoch": "2023-08-04T14:40:19.278336+00:00",
      "elevation_deg": 79.97,
      "elevation_plus_2m_deg": 58.16,
      "elevation_plus_5m_deg": 29.63,
      "epoch_altitude_km": 1481.83,
      "ground_track_bearing_deg": 164.19,
      "ground_track_label": "SSE",
      "launch_date": "87020AP",
      "launch_designator": "87020AP",
      "name": "NORAD 18803",
      "norad_id": "18803",
      "range_km": 1497.5,
      "sky_motion_label": "eastward, setting",
      "subpoint_lat": 33.04,
      "subpoint_lon": -80.7952
    },
    {
      "azimuth_deg": 283.0,
      "azimuth_plus_2m_deg": 345.81,
      "azimuth_plus_5m_deg": 358.13,
      "element_age_hours": 2.17,
      "element_epoch": "2023-08-04T09:14:03.884352+00:00",
      "elevation_deg": 78.78,
      "elevation_plus_2m_deg": 59.88,
      "elevation_plus_5m_deg": 32.87,
      "epoch_altitude_km": 1657.53,
      "ground_track_bearing_deg": 4.67,
      "ground_track_label": "N",
      "launch_date": "81120B",
      "launch_designator": "81120B",
      "name": "NORAD 12998",
      "norad_id": "12998",
      "range_km": 1691.69,
      "sky_motion_label": "eastward, setting",
      "subpoint_lat": 33.0643,
```

```

"subpoint_lon": -85.7099
},
{
  "azimuth_deg": 244.72,
  "azimuth_plus_2m_deg": 202.78,
  "azimuth_plus_5m_deg": 198.91,
  "element_age_hours": 22.69,
  "element_epoch": "2023-08-03T08:22:31.253376+00:00",
  "elevation_deg": 78.16,
  "elevation_plus_2m_deg": 35.62,
  "elevation_plus_5m_deg": 9.85,
  "epoch_altitude_km": 794.36,
  "ground_track_bearing_deg": 194.82,
  "ground_track_label": "SSW",
  "launch_date": "70025JS",
  "launch_designator": "70025JS",
  "name": "NORAD 5149",
  "norad_id": "5149",
  "range_km": 827.11,
  "sky_motion_label": "westward, setting",
  "subpoint_lat": 31.9768,
  "subpoint_lon": -84.4256
},
{
  "azimuth_deg": 335.68,
  "azimuth_plus_2m_deg": 350.42,
  "azimuth_plus_5m_deg": 354.43,
  "element_age_hours": 0.04,
  "element_epoch": "2023-08-04T07:01:52.489632+00:00",
  "elevation_deg": 71.59,
  "elevation_plus_2m_deg": 42.28,
  "elevation_plus_5m_deg": 18.05,
  "epoch_altitude_km": 1236.62,
  "ground_track_bearing_deg": 356.42,
  "ground_track_label": "N",
  "launch_date": "65027AX",
  "launch_designator": "65027AX",
  "name": "NORAD 19664",
  "norad_id": "19664",
  "range_km": 1303.87,
  "sky_motion_label": "eastward, setting",
  "subpoint_lat": 35.3837,
  "subpoint_lon": -84.5461
},
{
  "azimuth_deg": 152.56,
  "azimuth_plus_2m_deg": 354.07,
  "azimuth_plus_5m_deg": 351.15,
  "element_age_hours": 1.81,
  "element_epoch": "2023-08-04T08:52:20.935200+00:00",
  "elevation_deg": 71.03,
  "elevation_plus_2m_deg": 41.89,
  "elevation_plus_5m_deg": 10.46,
  "epoch_altitude_km": 641.26,
  "ground_track_bearing_deg": 349.5,
  "ground_track_label": "N",
  "launch_date": "99008D",
  "launch_designator": "99008D",
  "name": "NORAD 25637",
  "norad_id": "25637",
  "range_km": 690.64,
  "sky_motion_label": "westward, setting",
  "subpoint_lat": 30.9316,
  "subpoint_lon": -82.0034
},
{
  "azimuth_deg": 188.56,
  "azimuth_plus_2m_deg": 147.58,
  "azimuth_plus_5m_deg": 142.77,
  "element_age_hours": 3.8,
  "element_epoch": "2023-08-04T03:16:05.102688+00:00",
  "elevation_deg": 68.91,
  "elevation_plus_2m_deg": 24.53,
  "elevation_plus_5m_deg": 3.75,
  "epoch_altitude_km": 546.03,
  "ground_track_bearing_deg": 138.69,
  "ground_track_label": "SE",
  "launch_date": "22107G",
  "launch_designator": "22107G",
  "name": "NORAD 53706",
  "norad_id": "53706",
  "range_km": 576.48,
  "sky_motion_label": "westward, setting",
  "subpoint_lat": 30.8597,
  "subpoint_lon": -83.2826
},
{
  "azimuth_deg": 305.82,

```

```

"azimuth_plus_2m_deg": 216.38,
"azimuth_plus_5m_deg": 195.2,
"element_age_hours": 1.09,
"element_epoch": "2023-08-04T08:09:07.365312+00:00",
"elevation_deg": 67.94,
"elevation_plus_2m_deg": 57.57,
"elevation_plus_5m_deg": 25.68,
"epoch_altitude_km": 1191.93,
"ground_track_bearing_deg": 181.35,
"ground_track_label": "S",
"launch_date": "22138U",
"launch_designator": "22138U",
"name": "NORAD 54131",
"norad_id": "54131",
"range_km": 1268.04,
"sky_motion_label": "westward, setting",
"subpoint_lat": 34.633,
"subpoint_lon": -86.5378
},
{
"azimuth_deg": 305.77,
"azimuth_plus_2m_deg": 13.71,
"azimuth_plus_5m_deg": 36.11,
"element_age_hours": 21.24,
"element_epoch": "2023-08-03T09:49:40.158912+00:00",
"elevation_deg": 67.9,
"elevation_plus_2m_deg": 52.64,
"elevation_plus_5m_deg": 19.56,
"epoch_altitude_km": 433.62,
"ground_track_bearing_deg": 47.07,
"ground_track_label": "NE",
"launch_date": "11037BV",
"launch_designator": "11037BV",
"name": "NORAD 45835",
"norad_id": "45835",
"range_km": 1435.73,
"sky_motion_label": "eastward, setting",
"subpoint_lat": 34.8531,
"subpoint_lon": -86.9446
},
{
"azimuth_deg": 88.41,
"azimuth_plus_2m_deg": 18.14,
"azimuth_plus_5m_deg": 7.54,
"element_age_hours": 8.43,
"element_epoch": "2023-08-03T22:38:08.968704+00:00",
"elevation_deg": 67.14,
"elevation_plus_2m_deg": 35.06,
"elevation_plus_5m_deg": 9.47,
"epoch_altitude_km": 730.93,
"ground_track_bearing_deg": 1.15,
"ground_track_label": "N",
"launch_date": "98032C",
"launch_designator": "98032C",
"name": "NORAD 25344",
"norad_id": "25344",
"range_km": 784.47,
"sky_motion_label": "westward, setting",
"subpoint_lat": 32.5993,
"subpoint_lon": -80.0709
},
{
"azimuth_deg": 225.44,
"azimuth_plus_2m_deg": 198.99,
"azimuth_plus_5m_deg": 191.23,
"element_age_hours": 13.8,
"element_epoch": "2023-08-04T20:51:51.665472+00:00",
"elevation_deg": 65.58,
"elevation_plus_2m_deg": 39.39,
"elevation_plus_5m_deg": 16.3,
"epoch_altitude_km": 1191.65,
"ground_track_bearing_deg": 181.63,
"ground_track_label": "S",
"launch_date": "22138Y",
"launch_designator": "22138Y",
"name": "NORAD 54135",
"norad_id": "54135",
"range_km": 1285.45,
"sky_motion_label": "westward, setting",
"subpoint_lat": 29.6858,
"subpoint_lon": -86.2852
},
{
"azimuth_deg": 91.61,
"azimuth_plus_2m_deg": 29.11,
"azimuth_plus_5m_deg": 8.76,
"element_age_hours": 0.17,
"element_epoch": "2023-08-04T06:54:04.190400+00:00",

```

```
"elevation_deg": 65.38,  
"elevation_plus_2m_deg": 51.29,  
"elevation_plus_5m_deg": 24.18,  
"epoch_altitude_km": 1247.74,  
"ground_track_bearing_deg": 356.26,  
"ground_track_label": "N",  
"launch_date": "65027CG",  
"launch_designator": "65027CG",  
"name": "NORAD 383"
```

Appendix C. Source Exhaustion Checklist

This checklist records which source layers were actually applied to this individual report. It separates checked evidence from unexhausted collection gaps so the disposition is auditable when the PDF is read alone.

SOURCE LAYER	STATUS	CASE-SPECIFIC NOTE
NARA PUBLIC UAP/FAA REPORT	reviewed	Source IDs: 237UAP00533
TIME AND OBSERVER COORDINATE	extracted	2023-08-04T07:04:00+00:00 at 32.56472, -82.98497
ORBITAL OBJECT PROPAGATION	screened	public LEO catalog objects
SPACE-TRACK SATCAT METADATA	screened	30 NORAD IDs checked; 30 matched in local SATCAT subset
LAUNCH-OBJECT/SUPGP LAYER	not applicable	not a launch-object case
NASA/JPL KNOWN SMALL-BODY LAYER	not selected	CAD/Horizons secondary screen included when this case had NEO-relevant timing/geometry
NASA POWER/HORIZONS/DONKI CONTEXT	not exhausted	Hourly weather, sky geometry, and space-weather context where local JSON is present
AIRCRAFT/ADS-B LAYER	screened	52081 trace files scanned; 109 tracks retained; aircraft strong candidate present
NOAA GOES IMAGERY LAYER	not exhausted	Cloud/lightning imagery layer for the report hour
NOAA GOES ABI/GLM MANIFEST	screened	Public S3 object listing for the report hour
NOAA/NEXRAD WEATHER RADAR LAYER	not exhausted	Weather radar only; not ATC/primary radar
NOAA IGRA RADIOSONDE LAYER	screened	Balloon drift plausibility layer
ASOS/METAR SURFACE WEATHER	screened	Nearest station visibility, cloud, wind, precipitation, and METAR observations
WEATHER/BALLOON SOURCE PLAN	planned	Nearest weather-airport, GOES, and radiosonde queries are listed where local plan JSON is present
FINAL ANALYTIC DISPOSITION	normal-object favored	Presence-only satellite density is context only; a stronger case-specific fit is required for normal-object disposition

References and Source Links

1. National Archives and Records Administration. *Records Related to Unidentified Flying Objects (UFOs) and Unidentified Anomalous Phenomena (UAPs) at the National Archives*. <https://www.archives.gov/research/topics/uaps>
2. National Archives and Records Administration. *Record Group 615: Unidentified Anomalous Phenomena Records Collection*. <https://www.archives.gov/research/topics/uaps/rg-615>
3. National Archives and Records Administration. *Bulk Downloads for Records Related to Unidentified Anomalous Phenomena (UAPs)*. <https://www.archives.gov/research/catalog/catalog-bulk-downloads/uap-bulk-download>
4. National Archives Catalog. *Records from the Federal Aviation Administration Relating to Unidentified Anomalous Phenomena, National Archives Identifier 493468575*. <https://catalog.archives.gov/id/493468575>
5. National Archives direct digital object. *237UAP00533.pdf, FAA UAP report record copied from RG 615 bulk digital objects*. <https://s3.dualstack.us-east-1.amazonaws.com/NARAprdstorage/lz/electronic-records/rg-615/493468575/237UAP00533.pdf>
6. Hugging Face dataset. *oxzoid/space-track-tle-history: historical TLE archive used for public LEO catalog objects screening*. <https://huggingface.co/datasets/oxzoid/space-track-tle-history>
7. Space-Track.org. *Public source for the underlying U.S. Space Surveillance Network TLE distribution referenced by the historical TLE archive*. <https://www.space-track.org/>
8. Space-Track.org. *API documentation for SATCAT and catalog metadata classes used for local enrichment*. <https://www.space-track.org/documentation#/api>
9. ADSB.lol. *Interactive API documentation and OpenAPI definition*. <https://api.adsb.lol/docs>
10. ADSB.lol. *Historical open-data release documentation*. <https://www.adsb.lol/docs/open-data/historical/>
11. OpenSky Network. *REST API documentation*. <https://openskynetwork.github.io/opensky-api/rest.html>
12. OpenSky Network. *Historical data via Trino documentation*. <https://openskynetwork.github.io/opensky-api/trino.html>
13. NASA GIBS. *Global Imagery Browse Services API documentation*. <https://nasa-gibs.github.io/gibs-api-docs/>
14. NASA Earthdata. *Common Metadata Repository search API documentation*. <https://cmr.earthdata.nasa.gov/search/site/docs/search/api.html>
15. NOAA / AWS Open Data. *GOES public dataset registry*. <https://registry.opendata.aws/noaa-goes/>
16. NOAA / AWS Open Data. *NEXRAD public dataset registry*. <https://registry.opendata.aws/noaa-nexrad/>
17. NOAA NCEI. *Integrated Global Radiosonde Archive*. <https://www.ncei.noaa.gov/products/weather-balloon/integrated-global-radiosonde-archive>
18. Iowa Environmental Mesonet. *ASOS/AWOS/METAR data download service*. <https://mesonet.agron.iastate.edu/request/download.phtml>
19. CelesTrak. *Spacetrack Report No. 3: Models for propagation of NORAD element sets*. <https://celestrak.org/NORAD/documentation/spacetrk.pdf>
20. CelesTrak. *Supplemental GP element sets documentation and current endpoint index*. <https://celestrak.org/NORAD/elements/supplemental/>